



- CIVIL / STRUCTURAL DESIGN RISK MANAGEMENT
- Abnormal or unusual residual risks associated with the design outcomes shown on this drawing are:-
- RSK LDE LTD has followed its Design Risk Management process for Hazard Elimination and Risk reduction in developing the designs shown on this drawing. Abnormal or unusual residual risks may be shown above where it is considered that such risk may not normally be expected by competent persons engaged on work of this nature or type.
- Notes:
- This drawing is to be read in conjunction with all relevant Architects and Engineers drawings and specifications.
 - All levels quoted are in metres A.O.D.
 - For Longitudinal Sections see Drawing No's 2005-2007.
 - For Drainage Layout see Drawing No's. 3001-3004.
 - For Site Finishes see Drawing No's. 1001-1004.
 - The Groundwork's contractor shall ensure that no flat spots remain after the installation of the final road wearing course.
 - All road gullies shall be located away from proposed entrances to houses.
 - For tree protection areas and trees to be removed refer to the Arboriculturalist's drawings and/or report.
 - Kerb upstands to tarmac carriageway to be typically 125mm and 5mm at dropped kerb locations.
 - Kerb upstands to private parking to be 50mm and private drives to be typically 25mm.
 - Concrete gravel boards to be provided between garden boundary level differences, where indicated.
 - All rear garden patios to typically fall at max 1 in 20 away from any dwelling.
 - All private paths to crossfall at 1 in 40 away from any dwelling.
 - Garage Floor Level (GFL) relates to the top of concrete floor level at the garage entrance. Refer to Architect's standard details.

C15	07.02.2025	Plots 258, 259 and 274 landing and footpaths updated to suit clients comments.	LN	AM	
C14	15.08.2024	Plot 263 garden pathway updated.	LN	AM	
C13	16.04.2024	Block 1 external levels updated.	AF	AM	
C12	21.03.2024	Retaining wall labels added.	AF	AM	
C11	29.01.2024	Parkman house type renamed to The Forger.	AF	AM	
C10	08.09.2023	Plot 258 retaining wall position corrected.	LN	JC	AM
Rev.	Date	Amendment	Drawn	Chkd.	Appd.



LAND & DEVELOPMENT ENGINEERING LTD

18 Frogmore Road
Hemel Hempstead
Hertfordshire
HP5 9RT
United Kingdom

Tel: +44 (0) 1442 437500
Fax: +44 (0) 1442 437550
Email: info@rsk.co.uk
Web: www.rsk.co.uk



Client

Project Title

WHITTINGTON WAY,
PARCEL B

Status

CONSTRUCTION

Drawing Title

SITE LEVELS
SHEET 2 OF 4

Drawn	Date	Checked	Date	Approved	Date	
IM	28.01.2022	SM	28.01.2022	SM	28.01.2022	
Scale	1:250	Orig Size	A1	Dimensions	Metres	
Project No. 134195			Drawing File 134195-RSK-ZZ-XX-DR-C-2001-2004 Site Levels.dwg			
Drawing No.					Rev.	
134195	RSK	ZZ	XX	DR	C 2002 C15	
Project	Orig.	Vol./Sys.	Lev./Loc.	Type	Role	Draw. No.
Scale 1:250						
						