HARROGATE M4(2) PLOTS 1, 21, 29, 30, 35, 37, 81, 83, 100

> 2000 6915 533 533 533 533 533 343 533 3177 3177 533 533 335 335 533 533 343 533 533 533 533 533 533 5 533 533 533 533 533 533 343 533 533 533 343 6 378 358 357 335 178 178 3454 2805 2555

PLEASE CHECK ALL DIMENSIONS AND BEAM LENGTHS DETAILED IN THE FLOOR SCHEDULE LOCATED ON THE RIGHT HAND SIDE OF THE DRAWING. IF NO CHANGES ARE REQUIRED PLEASE SIGN, PRINT AND DATE BELOW.

SIGN PRINT DATE

> DESIGN ALLOWS FOR AN ADDITIONAL 1.0KN/m² LOAD FOR NON-LOADBEARING STUDWORK PARTITIONS IN BAYS 1-7

Imposed Load 1.5 kN/m²

Lightweight Partitions 1.0 kN/m²

<u>Finishes</u>

Re-Inforced Concrete Topping 75mm 1.80 kN/m²

Garage Finish

Re-Inforced Concrete Topping 100mm 2.40 kN/m²

Floor Schedule

155 REAM TP

TOO BEJ WITH							
Bay No Typ			<u>Lgth</u>	Bay No Typ			<u>Lgth</u>
1	6	3	2200	2	12	3	3400
3	6	4	3900	4	3	3	3650
5	6	3	2750	6	3	3	3000
7	9	3	2750				

T-CLOSURE BLOCKS ALLOWED FOR IN AREAS DETAILED WITH GREY HATCHING ONLY. REMAINING WALLS ARE TO BE INFILLED/BUILT UP BY OTHERS

DWELLING 530 x 100mm - 52

340 x 100mm - 6

530 x 140mm -

340 x 140mm -

GARAGE 440 x 100mm -

210 x 100mm -

385 x 100 x 40mm COURSING SLIP -

385 x 140 x 40mm COURSING SLIP -

172 x 100 x 40mm COURSING SLIP -

VENT/AIR BRICK COMBINATION -

OUR VENTS AND AIR BRICKS ARE MANUFACTURED BY TIMLOC. VENTS ARE TO THE 1201XL SPEC AND AIR BRICKS ARE TO THE 1201AB SPEC. QUANTITIES ARE BASED ON PRODUCT BEING POSITIONED 450mm FROM CORNERS AND EVERY 2000mm SPACINGS THEREAFTER.

Blocks

Jablite Structural Board 64m² nett

Floor Area 70.52 m²

Floor Length 138.60 m

Floor Weight 4.27 tonnes

Client Houlihan & Co Ltd

Job Title

HARROGATE M4(2)

Site Redrow Homes

Saffron Walden CB10 2LD

Scale N/A

Drawn By AK

Date 14/05/2024

BN18 0BD

Address UNIT A.RUDFORD INDUSTRIAL ESTATE, FORD ROAD. FORD, NR ARUNDEL, WEST SUSSEX

for a better everyday

02083209199

Drawing No 4743.07b - HARROGATE M4(2)

