


A3 See drawing "Jetfloor 150 Details" for sections and notes



Denotes approximate position of airbrick

Bill of material			
NR.	ITEM		
10	H006	BEAM	5250mm
J100C (white EPS 18kg/m³)			0.44
JCN (white EPS 26kg/m³)			4.19
JCW (white EPS 26kg/m³)			33.53
Coursing blocks			
SCKH 20N	: N/A	BR100L 3.6N	: N/A
SCR 10N	: N/A	BR100W 3.6N	: N/A
SCR 20N	: N/A	BR100N 3.6N	: N/A
TS100W 7.3N	: N/A	PS100W 7.3N	: N/A
TS100N 7.3N	: N/A	PS100N 7.3N	: N/A
JL100 7.3N	: N/A	PS140W 7.3N	: N/A
TS140W 7.3N	: N/A	PS140N 7.3N	: N/A
TS140N 7.3N	: N/A	TCBL	: N/A
JL140 7.3N	: N/A	PM100L	: 46
EX100L	: N/A	PM100W	: 16
EX140L	: N/A	PM100N	: 4
EX100W	: N/A	EX140W	: N/A
EX100N	: N/A	EX140N	: N/A
JP360	: N/A	CB730	: N/A

Total Floor weight : 2.12 tonnes	
Total Floor Area : 31 m2	
Total m3 poly block :	
Floor weight ex blocks: 2.12 tonnes	
Heaviest unit : 211.92 Kg	

Overlay sheets		
J150C 10.36 pc		

Ancillary items		
Airbrick Timloc	: 7	P34 : 19 pc
Airbrick Manthorpe	: N/A	
BC1100	: N/A	
BC1140	: N/A	
BC3100	: N/A	
BC3140	: N/A	

Revisions			
SFX	DATE	Comment	Initial
Loading Allowances			
Live Load		1.50	kN/m ²
Dead Load		1.80	kN/m ²
Blanket Partition Load		0.00	kN/m ²
Partition Load (U.N.O)		1.00	kN/m
		Timber Stud	
JetFloor Make Up			
Beam	150mm	Jetfloor	White
Insulation	150mm	EPS Overlay	White
Topping	75mm	Structural Topping	
Bearing	FFL -	375	
U Value	0.116	W/m ² k	
Jetfloor Block Key			
Wide Block	W	485mm Beam Spacings	
Narrow Block	N	295mm Beam Spacings	
Cut Sheet	C	Tolerance Cut Sheet. No greater than 294mm	
 BISON PRECAST a Forterra brand Hoveringham Works, Thurgarton Lane, Hoveringham, Nottingham, NG14 7JX TELEPHONE 01636 832000 This drawing and the copyright therein remain the property of Forterra			
Housebuilder			
miller homes			
Site Address			
Standard Drawings			
Date	31/10/24	Scale	1:50
		Drn.	JAE
Range			
Affordable Portfolio 2022			
Type Description			Rev
AL10 - Harding			-